

PROACE VAN EV SPECIFICATION & EQUIPMENT

Nicosia Tel. 22 400000 Larnaca Tel. 24 636488 Limassol Tel. 25 713000 Paphos Tel. 26 960600 Paralimni Tel. 23 740200

PROACE EV



		Proace Van EV
SPECIFICATIONS		75KWh
		Long
Dimensions & weights		S
Length	mm	5309
Width	mm	1920
Height	mm	1940
Wheelbase	mm	3275
Cargo room length	mm	2862
Cargo room length (with Smart Cargo)	mm	4026
Cargo room width between wheel housing	mm	1258
Cargo room max. width	mm	1636
Cargo room max. height	mm	1397
Cargo room capacity (with Smart Cargo)	m3	6.6
Cargo room capacity (without Smart Cargo)	m3	6.1
Europallet capacity	pieces	3
Rear loading height (min.)	mm	600
Rear loading height (max.)	mm	633
Rear cargo door max opening, width	mm	1282
Rear cargo door max opening, height	mm	1220
Side cargo door max opening, width	mm	935
Side cargo door max opening, height	mm	1241
Payload	kg	1000
Gross vehicle weight	kg	3055
Min. turning radius	m	6.2
Engine		
		Electric Motor
Туре		Electric Motor PERMANENT MAGNET SYNCHRONOUS MOTOR
	DIN hp	
Туре	DIN hp Nm	PERMANENT MAGNET SYNCHRONOUS MOTOR
Type Max. output	•	PERMANENT MAGNET SYNCHRONOUS MOTOR 136
Type Max. output	•	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260
Type Max. output Max. torque	•	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery
Type Max. output Max. torque Type	Nm	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion
Type Max. output Max. torque Type Nominal voltage	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394
Type Max. output Max. torque Type Nominal voltage Capacity	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394
Type Max. output Max. torque Type Nominal voltage Capacity Transmission	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear	Nm V	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes	Nm V KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres Wheels	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22 16" steel wheels
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres Wheels Tyres	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22 16" steel wheels
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres Wheels Tyres Performance	Nm v KWh	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22 16" steel wheels 215/65R16
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres Wheels Tyres Performance Top speed	Nm v KWh mm mm	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22 16" steel wheels 215/65R16
Type Max. output Max. torque Type Nominal voltage Capacity Transmission Type Suspension Front Rear Brakes Front Rear Wheels & tyres Wheels Tyres Performance Top speed Acceleration (0-100km/h)	Nm V KWh mm mm km/h sec	PERMANENT MAGNET SYNCHRONOUS MOTOR 136 260 Electric vehicle battery Lithium-ion 394 75 McPherson with anti-roll bar Wishbone Trailing Arms Ventilated disc 304x28 Disc 294x22 16" steel wheels 215/65R16

EQUIPMENT	Proace Van EV
Comfort and Interior	
Air conditioning, manual type	•
Power windows, auto up-down	•
Power door locks with key integrated remote control and jack-knife key Cruise control	•
Adjustable speed limiter	•
Power steering with vehicle speed sensing type control	•
Electronic parking brake	•
Tilt & telescopic steering adjustment	•
3-spoke urethane steering wheel	•
Headlight cut-off reminder	•
Driver and passenger sun visors, with mirrors and courtesy lighting	•
Driver seat armrest, multi position adjustable	•
Passenger centre seat fold down function with integrated adjustable table top	•
Rear window defogger & wipers (Compact only)	•
Headlamp levelling Front currholders	•
Front cupholders Front assist grips (2)	•
12V power outlet and USB outlet	•
Full height panel bulkhead separating cargo room with window and protective grille	•
Smart Cargo opening and passenger room net separator	•
Audlo	
7" Multimedia touch screen,DAB Radio, 4-speakers and Bluetooth® with music streaming, USB	•
Exterior	
2-sliding cargo side doors	•
2-rear swing out cargo doors , 180 deg. opening	•
Front & rear bumper: black	•
Grille black with chrome insert	•
Door mirrors: black, heated, electric adjustment and power folding	•
Side protection mouldings, large type, black	•
Daytime Running Lights, bulb type Multi-reflector helegen headlenns	•
Multi-reflector halogen headlamps Dusk sensors	•
Rear fog lamp	•
Green tinted glass	•
Rain sensors	•
Rear parking sensors	•
Front intermittent windscreen wipers with adjustable intervals	•
Steel wheels 16"	•
Information	
Colour TFT, 3.5" screen for information display with EV indications	•
Bluetooth® hands-free system	•
Tachometer	•
Dual odometer	•
Clock	•
eCall emergency call system	•
Active and passive Safety	
Driver & Passenger airbags	•
Vehicle Stability Control system (VSC)	•
ABS brakes with Electronic Brake Distribution (EBD)	•
Hill Assist Control (HAC) Crash impact absorbing bumpers and body structure, door side impact beams, energy absorbing steering column,	•
crash impact absorbing bumpers and body structure, door side impact beams, energy absorbing steering column, energy absorbing door material/roof rail construction, reinforced centre pillar	•
3-point ELR front seat belts with pretensioners with force limiters	•
Security	
Anti-theft alarm and engine immobiliser with dashboard warning light	•
Seats	
2-seater front passenger bench seat	•
Height adjustable driver seat	•
Lumbar support for driver seat	•
	•
Front headrests (3) with vertical adjustment	•
Front passenger seats with tip-up function for extra storage space	_
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage	
Front headrests (3) with vertical adjustment Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2)	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6)	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment	•
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor	opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard	opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard European specifications (with EC N1 WVTA-EURO 6) Warranty	• • • • opt. opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard European specifications (with EC N1 WVTA-EURO 6) Warranty 3 year/100.000 Km comprehensive Pan-European manufacturer's warranty	• • • opt. opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard European specifications (with EC N1 WVTA-EURO 6) Warranty 3 year/100.000 Km comprehensive Pan-European manufacturer's warranty 5-year/100.000km EV component manufacturer's warranty	opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard European specifications (with EC N1 WVTA-EURO 6) Warranty 3 year/100.000 Km comprehensive Pan-European manufacturer's warranty 5-year/100.000km EV component manufacturer's warranty 8 year/160.000km EV battery warranty	opt.
Front passenger seats with tip-up function for extra storage space Fabric/vinyl seat trim, heavy duty type Storage Cargo area lamps (2) Cargo deck hooks (6) Upper dashboard storage compartment Cargo area 12V power outlet Rear anti slip 9mm or 12mm wooden floor Rear cargo room protection pack Standard European specifications (with EC N1 WVTA-EURO 6) Warranty 3 year/100.000 Km comprehensive Pan-European manufacturer's warranty 5-year/100.000km EV component manufacturer's warranty	opt.